

---

**S A F E T Y   D A T A   S H E E T**

---

**SECTION 1. CHEMICAL IDENTIFICATION**

---

CATALOG #:	299828
NAME:	Ammonium persulfate
SYNONYMS:	Ammonium peroxodisulfate
24 HOUR EMERGENCY TELEPHONE:	Within USA/Canada: +1 800-633-8253 Outside USA/Canada: +1 801-629-0667
TO REQUEST AN MSDS:	+1 888-535-2444
CUSTOMER SERVICE:	+1 888-535-2444

---

**SECTION 2. HAZARDS IDENTIFICATION**

---

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE****GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**

OXIDIZING SOLIDS (CATEGORY 3), H272

ACUTE TOXICITY, ORAL (CATEGORY 4), H302

ACUTE TOXICITY, DERMAL (CATEGORY 4), H312

SKIN IRRITATION (CATEGORY 2), H315

EYE IRRITATION (CATEGORY 2A), H319

RESPIRATORY SENSITISATION (CATEGORY 1), H334

SKIN SENSITISATION (CATEGORY 1), H317

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),  
RESPIRATORY SYSTEM, H335

ACUTE AQUATIC TOXICITY (CATEGORY 3), H402

CHRONIC AQUATIC TOXICITY (CATEGORY 3), H412

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS****PICTOGRAM**

SIGNAL WORD

DANGER

HAZARD STATEMENT(S)

H272

MAY INTENSIFY FIRE; OXIDISER.

H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H319	CAUSES SERIOUS EYE IRRITATION.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H412	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STATEMENT(S)	
P210	KEEP AWAY FROM HEAT.
P220	KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE MATERIALS.
P221	TAKE ANY PRECAUTION TO AVOID MIXING WITH COMBUSTIBLES.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P272	CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P285	IN CASE OF INADEQUATE VENTILATION WEAR RESPIRATORY PROTECTION.
P301 + P312	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P322	SPECIFIC MEASURES (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THIS LABEL).
P330	RINSE MOUTH.
P333 + P313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P342 + P311	IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS**

NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF: (NH<sub>4</sub>)<sub>2</sub>S<sub>2</sub>O<sub>8</sub>  
MW: 228.19  
CAS-NO. 7727-54-0  
PURITY: ≥ 99% (Assay by titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>DIAMMONIUM PEROXODISULPHATE</b>		
	OX. SOL. 3; ACUTE TOX. 4; SKIN IRRIT. 2; EYE IRRIT. 2A; RESP. SENS. 1; SKIN SENS. 1; STOT SE 3; AQUATIC ACUTE 3; H272, H302, H315, H317, H319, H334, H335, H402	90 - 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

**IN CASE OF SKIN CONTACT** WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.

**IN CASE OF EYE CONTACT** RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED** THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

### **EXTINGUISHING MEDIA**

**SUITABLE EXTINGUISHING MEDIA**

USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

NITROGEN OXIDES (NOX), SULPHUR OXIDES CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS.

**ADVICE FOR FIREFIGHTERS**

WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.

**FURTHER INFORMATION**

MAY INTENSIFY FIRE; OXIDISER. USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET- BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

## SECTION 7. HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING**

FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.  
PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.  
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.  
MOISTURE SENSITIVE. KEEP IN A DRY PLACE.

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
DIAMMONIUM PEROXODISULPHATE	7727-54-0	TWA	0.1 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	SKIN IRRITATION VARIES		

### EXPOSURE CONTROLS

**APPROPRIATE ENGINEERING CONTROLS**

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

**FULL CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

**SPLASH CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White crystals
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	1.0 - 2 AT 228 G/L AT 25 C
MELTING POINT/FREEZING POINT	120 °C (dec.) (Approx.)
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	7.88 - (AIR = 1.0)
RELATIVE DENSITY	1.98
WATER SOLUBILITY	228 G/L AT 20 C - COMPLETELY SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS OXIDIZING WITH THE CATEGORY 3.

**OTHER SAFETY INFORMATION**

BULK DENSITY	900 KG/M3
RELATIVE VAPOUR DENSITY	7.88 - (AIR = 1.0)

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER. STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	NO DATA AVAILABLE
<b>INCOMPATIBLE MATERIALS</b>	STRONG REDUCING AGENTS, ORGANIC MATERIALS, POWDERED METALS

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

OTHER DECOMPOSITION PRODUCTS - NO DATA  
AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - 689 MG/KG INHALATION: NO DATA AVAILABLE LD50 DERMAL - RAT - > 2,000 MG/KG
<b>SKIN CORROSION/IRRITATION</b>	SKIN - RABBIT RESULT: NO SKIN IRRITATION
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	EYES - RABBIT RESULT: NO EYE IRRITATION EYES - RABBIT RESULT: MILD EYE IRRITATION (OECD TEST GUIDELINE 405)
<b>RESPIRATORY OR SKIN SENSITISATION</b>	GUINEA PIG RESULT: CAUSES SENSITISATION. (OECD TEST GUIDELINE 406)
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	MAY CAUSE RESPIRATORY IRRITATION.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE

**ADDITIONAL  
INFORMATION**

RTECS: SE0350000  
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,  
PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE  
NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**TOXICITY**

TOXICITY TO FISH LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 76  
MG/L - 96 H

TOXICITY TO DAPHNIA AND EC50 - DAPHNIA MAGNA (WATER FLEA) - 120 MG/L - 48  
OTHER AQUATIC H  
INVERTEBRATES

**PERSISTENCE AND  
DEGRADABILITY** NO DATA AVAILABLE

**BIOACCUMULATIVE  
POTENTIAL** NO DATA AVAILABLE

**MOBILITY IN SOIL** NO DATA AVAILABLE

**RESULTS OF PBT AND  
VPVB ASSESSMENT** PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL  
SAFETY ASSESSMENT NOT REQUIRED/NOT  
CONDUCTED

**OTHER ADVERSE EFFECTS** AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED  
IN THE EVENT OF UNPROFESSIONAL HANDLING OR  
DISPOSAL. HARMFUL TO AQUATIC LIFE.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

**PRODUCT** BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH  
AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA  
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY  
FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE  
SOLUTIONS TO A LICENSED DISPOSAL COMPANY.  
CONTACT A LICENSED PROFESSIONAL WASTE  
DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.  
DISSOLVE OR MIX THE MATERIAL WITH A  
COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL  
INCINERATOR EQUIPPED WITH AN AFTERBURNER AND  
SCRUBBER.

**CONTAMINATED  
PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: AMMONIUM PERSULFATE  
UN NUMBER: 1444  
CLASS: 5.1  
PACKING GROUP: III  
REPORTABLE QUANTITY  
(RQ):  
MARINE POLLUTANT: NO  
POISON INHALATION  
HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: AMMONIUM PERSULPHATE  
UN NUMBER: 1444  
CLASS: 5.1  
PACKING GROUP: III  
EMS-NO: F-A, S-Q  
MARINE POLLUTANT: NO

**IATA**

PROPER SHIPPING NAME: AMMONIUM PERSULPHATE  
UN NUMBER: 1444  
CLASS: 5.1  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** SARA 302: NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Ammonium persulfate	7727-54-0	3/1/2007

**SARA 311/312 HAZARDS** REACTIVITY HAZARD, ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS** NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Ammonium persulfate	7727-54-0	3/1/2007

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Ammonium persulfate	7727-54-0	3/1/2007

**CALIFORNIA PROP. 65  
COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS  
KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER,  
BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
EYE IRRIT.	EYE IRRITATION
H272	MAY INTENSIFY FIRE; OXIDISER.
H302	HARMFUL IF SWALLOWED.
H312	HARMFUL IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H319	CAUSES SERIOUS EYE IRRITATION.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H402	HARMFUL TO AQUATIC LIFE.
H412	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**HMIS RATING**

HEALTH HAZARD:	2
CHRONIC HEALTH HAZARD:	*
FLAMMABILITY:	0
PHYSICAL HAZARD	1

**NFPA RATING**

HEALTH HAZARD:	2
FIRE HAZARD:	0
REACTIVITY HAZARD:	1
SPECIAL HAZARD.I:	OX

**MSDS LEGEND**

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **AFG Bioscience LLC** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **AFG Bioscience LLC** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*