

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.5

Revision Date 16.02.2023

Print Date 11.02.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Ammonia solution 28-30% for analysis  
EMSURE® ACS, Reag. Ph Eur

Product Number : 1.05423  
Catalogue No. : 105423  
Brand : Millipore  
REACH No. : This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH  
Eschenstrasse 5  
D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130  
Fax : +49 (0)89 6513-1161  
E-mail address : technischerservice@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)  
+49 (0)696 43508409 (CHEMTREC  
weltweit)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Skin corrosion (Category 1), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008



Pictogram



Signal Word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
-----------	----------------	---------------



<b>ammonia solution</b>			
CAS-No.	1336-21-6	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10	>= 25 - < 30 %
EC-No.	215-647-6		
Index-No.	007-001-01-2		
Registration number	01-2119488876-14-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO<sub>x</sub>)  
Not combustible.



Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:  
nitrogen oxides

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not empty into drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH<sup>-</sup>, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Observe label precautions.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Tightly fitting safety goggles

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,40 mm

Break through time: 240 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

##### **Body Protection**

protective clothing

##### **Respiratory protection**

Recommended Filter type: Filter K (acc. to DIN 3181) for NH<sub>3</sub>

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### **Control of environmental exposure**

Do not empty into drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                   |           |
|-------------------|-----------|
| a) Physical state | liquid    |
| b) Color          | colorless |



- |   |  |
|---|--|
| c) Odor   | stinging, ammoniacal   |
| d) Melting point/freezing point                 | Melting point: ca.-72 °C   |
| e) Initial boiling point and boiling range      | ca.32 °C   |
| f) Flammability (solid, gas)                    | No data available  |
| g) Upper/lower flammability or explosive limits | Upper explosion limit: 33,6 %(V)<br>Lower explosion limit: 15,4 %(V)             |
| h) Flash point                                  | Not applicable   |
| i) Autoignition temperature                     | No data available  |
| j) Decomposition temperature                    | No data available  |
| k) pH   | > 12 at 20 °C<br>strongly alkaline   |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | at 20 °C soluble   |
| n) Partition coefficient: n-octanol/water       | log Pow: -1,38 - (anhydrous substance), Bioaccumulation is not expected.         |
| o) Vapor pressure                               | 635 hPa at 20 °C   |
| p) Density                                      | 0,90 g/cm <sup>3</sup> at 20 °C  |
| Relative density                                | No data available  |
| q) Relative vapor density                       | No data available  |
| r) Particle characteristics                     | No data available  |
| s) Explosive properties                         | Not classified as explosive.   |
| t) Oxidizing properties                         | none   |

## 9.2 Other safety information

Minimum ignition energy	380 - 680 mJ
-------------------------	--------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.



### 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents

Mercury

Oxygen

silver compounds

nitrogen trichloride

hydrogen peroxide

silver

antimony hydride

Halogens

Acids

Calcium

Chlorine

Chlorites

auric salts

perchlorates

sodium hypochlorite

mercury compounds

halogen oxides

Heavy metals

Heavy metal salts

Acid chlorides

Acid anhydrides

Risk of ignition or formation of inflammable gases or vapours with:

Boranes

Boron

Oxides of phosphorus

Nitric acid

silicon compounds

chromium(VI) oxide

chromyl chloride

Exothermic reaction with:

Acetaldehyde

Acrolein

Barium

boron compounds

Bromine

halogen-halogen compounds

hydrogen bromide

silane

Hydrogen chloride gas

halogen compounds

dimethylsulfate

nitrogen oxides

Fluorine

Hydrogen fluoride

chlorates

carbon dioxide

Ethylene oxide

polymerisable

### 10.4 Conditions to avoid

Heating.



## 10.5 Incompatible materials

Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, bronchitis, Possible damages:, damage of respiratory tract

Dermal: No data available

##### Skin corrosion/irritation

Skin - Rabbit

Result: Severe irritations

Remarks: (29% solution)

(RTECS)

Remarks: Dermatitis

Necrosis

##### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations

Remarks: (29% solution)

(RTECS)

Remarks: Mixture causes serious eye damage.

Risk of blindness!

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

No data available

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available

### 11.2 Additional Information

#### Endocrine disrupting properties

##### Product:

Assessment

The substance/mixture does not contain



components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cough  
Shortness of breath  
bronchitis  
gastric pain  
Bloody vomiting  
Nausea  
collapse  
shock  
Unconsciousness

Other dangerous properties can not be excluded.  
Handle in accordance with good industrial hygiene and safety practice.

## Components

### ammonia solution

#### Acute toxicity

Oral: No data available  
Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
Dermal: No data available

#### Skin corrosion/irritation

Remarks: Causes skin burns.  
Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.  
Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available





<p>Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)</p>	<p>flow-through test LC50 - Daphnia magna (Water flea) - 4,07 mg/l - 96 h (US-EPA)  Remarks: The value is given in analogy to the following substances:  The value is given in analogy to the following substances: ammonium chloride</p> <p>flow-through test NOEC - Daphnia magna (Water flea) - 0,79 mg/l - 96 h (US-EPA)  Remarks: The value is given in analogy to the following substances:  The value is given in analogy to the following substances: ammonium chloride</p>
--	---

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2672

IMDG: 2672

IATA: 2672

### 14.2 UN proper shipping name

ADR/RID: AMMONIA SOLUTION

IMDG: AMMONIA SOLUTION

IATA: Ammonia solution

### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

### 14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this substance.

---

## **SECTION 16: Other information**

### **Full text of H-Statements referred to under sections 2 and 3.**

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	
H400	May cause respiratory irritation.
H410	Very toxic to aquatic life.
H411	Very toxic to aquatic life with long lasting effects.



## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture

Skin Corr.1	H314
Eye Dam.1	H318
STOT SE3	H335
Aquatic Acute1	H400
Aquatic Chronic2	H411

### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

